

SUPER COOLANT 50%

Section 1. Identification		
Material name:	SUPER COOLANT 50%	
Product Code	1103	
SDS no.	SDS 1103-1	
Relevant identified uses o	f the substance or mixture and uses advised against	
Use of the substance/	Engine coolant	
mixture	For specific application advice see appropriate Technical Data Sheet or consult	
	our company representative	
Manufacturer	Petromin Corporation	
Supplier	P.O.BOX: 1432, Jeddah 21431	
	Prince Sultan Road, Ayah Mall	
	www.petromin.com	
	Tel: +966 12 60 8300	
	Fax: +966 12 608 2545	
Emergency Telephone	Technical Services Department	
Number	Telephone: +966 12 215 7000	

Section 2. Hazard(s) identification

Classification of the	Harmful if swallowed
substance or mixture	
GHS label elements:	
Hazard Pictograms:	V V
Signal word:	Warning
Hazard statement:	Harmful if swallowed.
Precautionary statement:	
Prevention:	Wash with plenty of water and soap thoroughly after handling.
Response:	Call a POISON CENTER or doctor/physician.
	IF SWALLOWED: rinse mouth.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to hazardous or special waste
	collection point.
Other hazards which do	No specific dangers known, if the regulations/notes for storage and
not result in classification	handling are considered.



Section 3. Composition and ingredient information

Substance/ mixture Mixture

Components	CAS No.	Percent
Monoethyleneglycol	107-21-1	50%
Distilled Water	Mixture	49%
Performance Additives	Mixture	1%

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
Special Risks	None
Special Measures	Self-contained breathing apparatus. Wear protective clothing

Section 6. Accidental release measure

Precautions for the Environment	Do not allow product to enter drains. Prevent further spillage if safe.
Clean-up Method	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
Personal Precautions	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
Personal Protection	Gloves and goggles or face shield



Section 7. Handling and storage

Precautions for safe	Avoid contact with eyes and skin. Ensure adequate ventilation of the working
handling	area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Specific conditions	Safety goggles and gloves should be used
Precautions for safe storage	None
Storage condition	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
Dangerous practices	Not available

Section 8. Exposure control/ Personal protection

Control parameters:	
Exposure Level	Not available
Inhalation	No specific recommendation made, but respiratory protection must be used if
	the general level exceeds the Occupational Exposure Level (OEL). Wear full face
	mask supplied with: Gas cartridge (organic substances).
Skin	Gloves
Еуе	Safety goggles
Other	Showers and eye-washers in the working area
Specific Hygiene measure	Good work practices to minimize exposure and adoption of good Personal hygien
Exposure Level	TLV (typical base oil) = 0.016 PPM at 20°C (saturated vapor Concentration);
	TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/m3 (oil mist)

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Color:	Red
Specific Gravity (at 15°C):	1.072 g/cm3
Equilibrium Boiling Point	105 ºC
Explosive Properties:	Not available
Oxidizing Properties:	Not available
Freezing Point:	-38 ºC
pH value	7.9 - 8.3
Solubility in Water	Soluble



Section 10. Stability and reactivity

Reactivity	Stable under recommended transport storage conditions
Chemical stability	Stable under normal temperature pressures
Polymerization Risk	Not available
Materials to Avoid	Strong oxidants react with oils and organic materials
Hazardous Decomposition products	Not available
Condition to Avoid	Exposure to open flames

Section 11. Toxicological information

Routes of Exposure	Contact with skin, eyes and inhalation. Ingestion is not frequent.
Acute and chronic Effects	No malignant acute effects are known. Chronic effects due to repeated
	exposures are irritation, dermatitis and acne
Carcinogenicity	Not available
Reproductive Toxicity	No evidences
Medical Conditions which	Respiratory tract deficiencies and dermatological problems
increase Hazard to	
Exposure	

Section 12. Ecological information

Pollutant Potential:	
Persistence and Degradability	Elimination information: > 70 % DOC reduction (28 d) (OECD 301 A (new version)) Readily
Mobility/Bioaccumulative	Bioaccumulation potential:
Potential	Accumulation in organisms is not to be expected. Volatility: The substance will not evaporate into the atmosphere from the water
	surface. Adsorption in soil: Adsorption to solid soil phase is not expected.

Eco toxicological Effect: Dangerous for aquatic life in high concentrations (spills).

Section 13. Disposal consideration				
Disposal Methods (surplu	Must be disposed of or incinerated in accordance with local regulations ()			
Disposal (waste)	Only in specific prepared and controlled areas. Avoid releasing oils to sewers because they can destroy water treatment plant Microorganisms. Do not attempt to clean containers since residue is difficult to remove; dispose in a safe way.			
Handling (waste)	Labeled and sealed containers. Avoid direct contact with waste oils.			



Section 14. Transport information

-	
Special Precautions	Stable at room temperature and during transport. Store in cool well ventilated
	areas.
UN Number	Not regulated
Road (ADR)/ Rail (RID)	Not regulated
/River (ADNR)	
	Niek warvelaka d
Airline (IATA-ACAO)	Not regulated
Marine (IMO-IMDG)	Not regulated
	Notregulated
Special precautions for	Not available
user	

Section 15. Regulat	ory information		
Regulation	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds):		
	This material does not contain any chemicals subject to the reporting requirements of SARA 302 and 40 CFR 372.		
CERCLA/SARA - Section	Acute Health:	No	
311/312 (Title III Hazard	Chronic Health:	No	
Categories)	Fire Hazard:	No	
	Pressure Hazard:	No	
	Reactive Hazard:	No	
CERCLA/SARA - Section 313 and 40 CFR 372	3 This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372		
EPA (CERCLA) Reportable Quantity (in pounds)	This material does not contain any chemicals with CERCLA Reportable Quantities		
California Proposition 65	This material does not contain any chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Proposition 65		
Canadian	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the Regulations. WHMIS Hazard Class: None		
National Chemical Inventories	All components are either listed on the US TSCA Inventory, or are not regulated under TSCA. All components are either on the DSL, or are exempt from DSL listing requirements		
U.S. Export Control Classification Number	EAR99		



Section 16. Other information

History:

Date of Issue Revision Version Status: Previous Issue Date	28/02/2019 Version 2.0 Final	
Guide to Abbreviations	CAS	Chemical Abstracts Service
	ACGIH	American Conference of Governmental Industrial Hygienists
	CASRN	Chemical Abstracts Service Registry Number
	CEILING	Ceiling Limit (15 minutes)
	CERCLA	The Comprehensive Environmental Response, Compensation, and Liability Act
	EPA	Environmental Protection Agency
	IARC	International Agency for Research on Cancer
	LEL	Lower Explosive Limit
	NE	Not Established
	NFPA	National Fire Protection Association
	NTP	National Toxicology Program
	OSHA	Occupational Safety and Health Administration
	PEL	Permissible Exposure Limit (OSHA)
	SARA	Superfund Amendments and Reauthorization Act
	STEL	Short Term Exposure Limit (15 minutes)
	TLV	Threshold Limit Value (ACGIH)
	TWA	Time Weighted Average (8 hours)
	UEL	Upper Explosive Limit
	WHMIS	Worker Hazardous Materials Information System (Canada)
Disclaimer of Expressed and implied Warranties	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate	

and reliable as of the date indicated. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.