#### CROWN TURBOMAX TX-7 SAE 15W-40

# Section 1. Identification

CROWN TURBOMAX TX-7 SAE 15W-40 Material name:

296044 **Product Code** SDS 296044 SDS no.

Relevant identified uses of the substance or mixture and uses advised against

Automative Engine lubricant. Use of the substance/

mixture For specific application advice see appropriate Technical Data Sheet or consult

our company representative.

Manufacturer Technolube L.L.C

**Supplier** P.O.BOX: 116636, Techno Park

> Dubai, United Arab Emirates www.technolubeuae.com Tel: +971 4 801 8444

Fax: +971 4 886 7014

**Emergency Telephone Technical Services Department** 

Number Telephone: +966 12 215 7000

# Section 2. Hazard(s) identification

Classification of the Not classified

substance or mixture

**GHS label elements:** 

**Hazard Pictograms:** No hazard pictogram is used

No signal word is used Signal word:

**Hazard statement: Precautionary statement:** 

> **Prevention:** Not applicable Not applicable Response: Storage: Not applicable **Disposal:** Not applicable

Other hazards which do not

result in classification

Not applicable

Not applicable

**Product Name: CROWN TURBOMAX TX-7 SAE 15W-40** Version#: 1.0 Page 1 of 6 Product code#:296044 Date of issue: 23/07/2020



# Section 3. Composition and ingredient information

Substance/ mixture Mixture

Components	CAS No.	Percent
Hydrotreated heavy paraffinic	64742-54-7	80-90%
Performance Additives	Mixture	<20%

#### Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. Eyelids should be held away from the eyeball to ensure through rinsing. Check and remove any contact lenses. Get medical attention

Skin contact No specific first aid measures are required. As a precaution, remove clothing

and shoes if contaminated. To remove the material from skin, use soap and

water.

If inhaled, remove the person to fresh air. Get medical attention if symptoms

Inhalation occur.

**Ingestion** Do not induce vomiting. As a precaution, get medical advice.

Symptoms caused by

exposure

Not available

Special Treatment No special treatment

#### Section 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing media In case of fire, use Foams, dry chemicals, CO2, nylons and powders

unsuitable extinguishing Do not use water

media

Protection Equipment Heat resistant suit and gloves, Self-contained breathing apparatus

Special Risks None

Special Measures Not required

CO2, H2O, CO (in defect of air), nitrogen, sulfur and phosphorus oxides

Section 6. Accidental release measure

Precautions for the Hazard of physical fouling to coasts, soils, etc. due to low solubility and high

**Environment** viscosity of the oils. Avoid the material entering water intakes

Clean-up Method Treat as an accidental oil spill or leak; avoid dispersion of the material with

mechanical barriers. Remove with physical or chemical treatment

Personal Precautions Avoid prolonged contact with contaminated clothes or with the product

Personal Protection Gloves and goggles or face shield

Product Name: CROWN TURBOMAX TX-7 SAE 15W-40

Product code#:296044

Page 2 of 6

Date of issue: 23/07/2020

# Section 7. Handling and storage

**Precautions for safe** 

handling

**General Precautions** Avoid prolonged contact and inhalation of mists and vapors

Safety goggles and gloves should be used Specific conditions

Precautions for safe storage

Storage condition Containers properly labeled and sealed, placed in cool and

Strong oxidants **Incompatible materials** Not available Dangerous practices

#### Section 8. Exposure control/Personal protection

**Control parameters:** 

Not available **Exposure Level** 

Inhalation Low vapor pressures: The product is slightly volatile at room temperature and

does not present special risks. In presence of heated oils, wear protective

masks to avoid vapor inhalation

Skin Gloves

Safety goggles Eye

Showers and eye-washers in the working area Other

Specific Hygiene measure Good work practices to minimize exposure and adoption of good Personal

hygiene measures avoid the presence of skin rash and oil acne

TLV (typical base oil) = 0.016 PPM at 20°C (saturated vapor Concentration); **Exposure Level** 

TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/m3 (oil

mist)

# Section 9. Physical and chemical properties

Information on basic physical and chemical properties:

Appearance:

**Physical state:** Liquid

**Brownish Oil** Color: Specific Gravity (at 15°C): 0.8883(typical)

234 ºC Flash point:

**Explosive Properties:** Not available **Oxidizing Properties:** Not available

Water Solubility: Insoluble (100 PPM max. H<sub>2</sub>O)

**Solubility:** Organic solvents **Vapor Density:** Not available Not available **Vapor Pressure:** Viscosity at 100°C: 15.40 cSt (typical) **Pour Point:** -27 ºC (typical) **Boiling Point:** Not available

Product Name: CROWN TURBOMAX TX-7 SAE 15W-40 Version#: 1.0 Date of issue: 23/07/2020

Product code#:296044 Page 3 of 6



# Section 10. Stability and reactivity

Reactivity Stable under recommended transport storage conditions

Chemical stability Stable under normal temperature pressures

Polymerization Risk Not available

Materials to Avoid Strong oxidants react with oils and organic materials

**Hazardous Decomposition** 

products

Not available

Condition to Avoid Exposure to open flames

### Section 11. Toxicological information

Routes of Exposure Contact with skin, eyes and inhalation. Ingestion is not frequent.

Acute and chronic Effects No malignant acute effects are known. Chronic effects due to repeated

exposures are irritation, dermatitis and acne

Carcinogenicity Not available Reproductive Toxicity No evidences

Medical Conditions which increase Hazard to Exposure

Respiratory tract deficiencies and dermatological problems

# Section 12. Ecological information

**Pollutant Potential:** 

Persistence and Degradability the material is oily and viscous and floats on water. It presents a high physical fouling potential, mainly in sea-spills; by contact, destroys small aquatic organisms and makes living difficult for upper organisms, not allowing the sunlight to reach underlying marine ecosystems, affecting its normal

development.

Mobility/Bioaccumulative

Potential

it does not present bioaccumulative problems in living organisms or incidence in the tropic food chain, although it may cause long-term adverse effects in the aquatic environment, due to its high physical fouling potential

Eco toxicological Effect: Dangerous for aquatic life in high concentrations (spills).

#### Section 13. Disposal consideration

Disposal Methods (surplus) Recycling and recovery of base oils when possible

Disposal (waste) Only in specific prepared and controlled areas. Avoid releasing oils to sewers

because they can destroy water treatment plant Microorganisms. Do not attempt to clean containers since residue is difficult to remove; dispose in a

safe way.

Handling (waste) Labeled and sealed containers. Avoid direct contact with waste oils.

Product Name: CROWN TURBOMAX TX-7 SAE 15W-40

Product code#:296044

Page 4 of 6

Date of issue: 23/07/2020

# Section 14. Transport information

**Special Precautions** Stable at room temperature and during transport. Store in cool well

ventilated areas.

**UN Number** Not regulated

Road (ADR)/ Rail (RID)

/River (ADNR)

Not regulated

Airline (IATA-ACAO) Not regulated

Marine (IMO-IMDG) Not regulated

Special precautions for user Not available

### Section 15. Regulatory information

Regulation ERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds

This material does not contain any chemicals subject to the reporting requirements of

SARA 302 and 40 CFR 372.

**CERCLA/SARA - Section** 311/312 (Title III Hazard

Categories)

Acute Health: No **Chronic Health:** No

Fire Hazard: No **Pressure Hazard:** Nο Reactive Hazard: No

and 40 CFR 372

CERCLA/SARA - Section 313 This material does not contain any chemicals subject to the reporting

requirements of SARA 313 and 40 CFR 372

**EPA (CERCLA) Reportable** 

Quantity (in pounds)

This material does not contain any chemicals with CERCLA Reportable

Quantities

**California Proposition 65** This material does not contain any chemicals which are known to the State of

California to cause cancer, birth defects or other reproductive harm at

concentrations that trigger the warning requirements of California Proposition

65

Canadian This product has been classified in accordance with the hazard criteria of the

> Controlled Products Regulations (CPR) and the MSDS contains all the information required by the Regulations. WHMIS Hazard Class: None All components are either listed on the US TSCA Inventory, or are not

National Chemical

**Inventories** 

regulated under TSCA. All components are either on the DSL, or are exempt

from DSL listing requirements

**U.S. Export Control Classification Number** 

EAR99

Product Name: CROWN TURBOMAX TX-7 SAE 15W-40 Version#: 1.0 Product code#:296044 Page 5 of 6 Date of issue: 23/07/2020

### Section 16. Other information

**History:** 

Date of Issue 23/7/2020 **Revision Version** Version 1.0 Status: Final

**Previous Issue Date** 

**Guide to Abbreviations** CAS Chemical Abstracts Service

> ACGIH American Conference of Governmental Industrial Hygienists

**CASRN** Chemical Abstracts Service Registry Number

CEILING Ceiling Limit (15 minutes)

**CERCLA** The Comprehensive Environmental Response, Compensation, and

Liability Act

**EPA Environmental Protection Agency** 

**IARC** International Agency for Research on Cancer

LEL **Lower Explosive Limit** 

NE Not Established

**NFPA** National Fire Protection Association

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA** 

PEL Permissible Exposure Limit (OSHA)

**SARA** Superfund Amendments and Reauthorization Act

STEL Short Term Exposure Limit (15 minutes)

TLV Threshold Limit Value (ACGIH) **TWA** Time Weighted Average (8 hours)

UEL Upper Explosive Limit

**WHMIS** Worker Hazardous Materials Information System (Canada)

# implied Warranties

Disclaimer of Expressed and This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date indicated. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

> It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Product Name: CROWN TURBOMAX TX-7 SAE 15W-40 Version#: 1.0 Product code#:296044 Page 6 of 6 Date of issue: 23/07/2020