

## Gulf Extra Diesel 50 20W-50 CH-4

## Section 1. Identification

Material name: Product Code SDS no.	Gulf Extra Diesel 50 20W-50 CH-4 3858 SDS 3858-1
Relevant identified uses of	f the substance or mixture and uses advised against
Use of the substance/	Automotive engine crankcase lubricant.
mixture	For specific application advice see appropriate Technical Data Sheet or consult
	our company representative
Manufacturer	Petromin Corporation
Supplier	P.O.BOX: 1432, Jeddah 21431
	Prince Sultan Road, Ayah Mall
	www.petromin.com
	Tel: +966 12 60 8300
	Fax: +966 12 608 2545
Emergency Telephone	Technical Services Department
Number	Telephone: +966 12 215 7000

## Section 2. Hazard(s) identification

Classification of the substance or mixture	Not classified
GHS label elements:	
Hazard Pictograms:	No hazard pictogram is used
Signal word:	No signal word is used
Hazard statement:	Not applicable
Precautionary statement:	
Prevention:	Not applicable
Response:	Not applicable
Storage:	Not applicable
Disposal:	Not applicable
Other hazards which do not result in classification	Not applicable



## Section 3. Composition and ingredient information

#### Substance/ mixture Mixture

Components	CAS No.	Percent
Hydrotreated heavy paraffinic	64742-54-7	80-90%
Performance Additives	Mixture	<20%

Section 4. First aid measures		
Description of necessary f	irst aid measures	
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure through rinsing. Check and remove any contact lenses. Get medical attention	
Skin contact	No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water.	
Inhalation	If inhaled, remove the person to fresh air. Get medical attention if symptoms	
Ingestion	Do not induce vomiting. As a precaution, get medical advice.	
Symptoms caused by exposure	Not available	
Special Treatment	No special treatment	

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing medialn case of fire, use Foams, dry chemicals, CO2, nylons and powders		
unsuitable extinguishing	Do not use water	
media		
<b>Protection Equipment</b>	Heat resistant suit and gloves, Self-contained breathing apparatus	
Special Risks	None	
Special Measures	Not required	
<b>Combustion Products</b>	CO2, H2O, CO (in defect of air), nitrogen, sulfur and phosphorus oxides	

# Section 6. Accidental release measure

Precautions for the	Hazard of physical fouling to coasts, soils, etc. due to low solubility and high
Environment	viscosity of the oils. Avoid the material entering water intakes
Clean-up Method	Treat as an accidental oil spill or leak; avoid dispersion of the material with
	mechanical barriers. Remove with physical or chemical treatment
Personal Precautions	Avoid prolonged contact with contaminated clothes or with the product
Personal Protection	Gloves and goggles or face shield



# Section 7. Handling and storage

Precautions for safe handling	
General Precautions Specific conditions	Avoid prolonged contact and inhalation of mists and vapors Safety goggles and gloves should be used
Precautions for safe storage	
Storage condition Incompatible materials Dangerous practices	Containers properly labeled and sealed, placed in cool and Strong oxidants Not available

## Section 8. Exposure control/ Personal protection

Control parameters:	
Exposure Level	Not available
Inhalation	Low vapor pressures: The product is slightly volatile at room temperature and does not present special risks. In presence of heated oils, wear protective masks to avoid vapor inhalation
Skin	Gloves
Еуе	Safety goggles
Other	Showers and eye-washers in the working area
Specific Hygiene measure	Good work practices to minimize exposure and adoption of good Personal hygien
Exposure Level	TLV (typical base oil) = 0.016 PPM at 20ºC (saturated vapor Concentration); TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/m3 (oil mist)

## Section 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Color:	Brownish Oil
Specific Gravity (at 15°C):	0.897 (typical)
Flash point:	240 ºC
<b>Explosive Properties:</b>	Not available
<b>Oxidizing Properties:</b>	Not available
Water Solubility:	Insoluble (100 PPM max. H <sub>2</sub> O)
Solubility:	Organic solvents
Vapor Density:	Not available
Vapor Pressure:	Not available
Viscosity at 100°C:	18.9 cSt (typical)
Pour Point:	-24 ºC (typical)



Not available

### Section 10. Stability and reactivity

Reactivity	Stable under recommended transport storage conditions
Chemical stability	Stable under normal temperature pressures
<b>Polymerization Risk</b>	Not available
Materials to Avoid	Strong oxidants react with oils and organic materials
Hazardous Decomposition products	Not available
Condition to Avoid	Exposure to open flames

### Section 11. Toxicological information

Routes of Exposure	Contact with skin, eyes and inhalation. Ingestion is not frequent.
Acute and chronic Effects	No malignant acute effects are known. Chronic effects due to repeated exposures are irritation, dermatitis and acne
Carcinogenicity	Not available
<b>Reproductive Toxicity</b>	No evidences
Medical Conditions which increase Hazard to	Respiratory tract deficiencies and dermatological problems
Exposure	

### Section 12. Ecological information

Pollutant Potential:	
Persistence and Degradability	the material is oily and viscous and floats on water. It presents a high physical fouling potential, mainly in sea-spills; by contact, destroys small aquatic organisms and makes living difficult for upper organisms, not allowing the sunlight to reach underlying marine ecosystems, affecting its normal development.
Mobility/Bioaccumulative Potential	it does not present bioaccumulative problems in living organisms or incidence in the tropic food chain, although it may cause long-term adverse effects in the aquatic environment, due to its high physical fouling potential
Eco toxicological Effect:	Dangerous for aquatic life in high concentrations (spills).

### Section 13. Disposal consideration

Disposal Methods (surplus) Recycling and recovery of base oils when possible

- Disposal (waste) Only in specific prepared and controlled areas. Avoid releasing oils to sewers because they can destroy water treatment plant Microorganisms. Do not attempt to clean containers since residue is difficult to remove; dispose in a safe way.
- Handling (waste) Labeled and sealed containers. Avoid direct contact with waste oils.



# Section 14. Transport information

Special Precautions	Stable at room temperature and during transport. Store in cool well ventilated		
	areas.		
UN Number	Not regulated		
Road (ADR)/ Rail (RID) /River (ADNR)	Not regulated		
Airline (IATA-ACAO)	Not regulated		
Marine (IMO-IMDG)	Not regulated		
Special precautions for user	Not available		

## Section 15. Regulatory information

Regulation	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds)		
	This material does not SARA 302 and 40 CFF	contain any chemicals subject to the reporting requirements of 372.	
<b>CERCLA/SARA</b> - Section	Acute Health:	No	
311/312 (Title III Hazard	Chronic Health:	No	
Categories)	Fire Hazard:	No	
	Pressure Hazard:	No	
	Reactive Hazard:	No	
CERCLA/SARA - Section 313 and 40 CFR 372		ot contain any chemicals subject to the reporting RA 313 and 40 CFR 372	
EPA (CERCLA) Reportable Quantity (in pounds)	This material does not contain any chemicals with CERCLA Reportable Quantities		
California Proposition 65	This material does not contain any chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Proposition 65		
Canadian	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the Regulations. WHMIS Hazard Class: None		
National Chemical Inventories	All components are either listed on the US TSCA Inventory, or are not regulated under TSCA. All components are either on the DSL, or are exempt from DSL listing requirements		
U.S. Export Control	EAR99		



## Section 16. Other information

**History:** 

Date of Issue Revision Version Status: Previous Issue Date	10/29/2018 Version 2.0 Final	
Guide to Abbreviations	CAS ACGIH CASRN CEILING CERCLA	Chemical Abstracts Service American Conference of Governmental Industrial Hygienists Chemical Abstracts Service Registry Number Ceiling Limit (15 minutes) The Comprehensive Environmental Response, Compensation, and
	EPA IARC LEL NE	Liability Act Environmental Protection Agency International Agency for Research on Cancer Lower Explosive Limit Not Established
	NFPA NTP OSHA PEL	National Fire Protection Association National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit (OSHA)
	SARA STEL TLV TWA UEL	Superfund Amendments and Reauthorization Act Short Term Exposure Limit (15 minutes) Threshold Limit Value (ACGIH) Time Weighted Average (8 hours) Upper Explosive Limit
Disclaimer of Expressed and implied Warranties	<b>WHMIS</b> Worker Hazardous Materials Information System (Canada) This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date indicated. However no representation, warranty or	

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

guarantee is made as to its accuracy, reliability or completeness.